

Diâmetro Externo (mm)	Parede (mm)	Diâmetro Interno (mm)	Pressão de Trabalho BAR
			DIN 2391 St37.4 NBK
4.0	0.5	3.0	313
4.0	0.75	2.5	409
4.0	1.0	2.0	522
5.0	0.8	3.5	376
5.0	1.0	3.0	432
6.0	0.75	4.5	333
6.0	1.0	4.0	389
6.0	1.5	3.0	549
6.0	2.0	2.0	692
6.0	2.25	1.5	757
8.0	1.0	6.0	333
8.0	1.5	5.0	431
8.0	2.0	4.0	549
8.0	2.5	3.0	658
10.0	1.0	8.0	282
10.0	1.5	7.0	373
10.0	2.0	6.0	478
10.0	2.5	5.0	576
10.0	3.0	4.0	666
12.0	1.0	10.0	235
12.0	1.5	9.0	353
12.0	2.0	8.0	409
12.0	2.5	7.0	495
12.0	3.0	6.0	576
12.0	3.5	5.0	651
14.0	1.0	12.0	201
14.0	1.5	11.0	302
14.0	2.0	10.0	403
14.0	2.5	9.0	434
14.0	3.0	8.0	507
14.0	3.5	7.0	676
14.0	4.0	6.0	641
15.0	1.0	13.0	188
15.0	1.5	12.0	282
15.0	2.0	11.0	376
15.0	2.5	10.0	409
15.0	3.0	9.0	478
16.0	1.0	14.0	176
16.0	1.5	13.0	264
16.0	2.0	12.0	353
16.0	2.5	11.0	386
16.0	3.0	10.0	452
18.0	1.0	16.0	157
18.0	1.5	15.0	235
18.0	2.0	14.0	313
18.0	2.5	13.0	392
18.0	3.0	12.0	409

Diâmetro Externo (mm)	Parede (mm)	Diâmetro Interno (mm)	Pressão de Trabalho BAR
			DIN 2391 St37.4 NBK
20.0	1.5	17.0	212
20.0	2.0	16.0	282
20.0	2.5	15.0	353
20.0	3.0	14.0	373
20.0	3.5	13.0	426
20.0	4.0	12.0	478
22.0	1.0	20.0	128
22.0	1.5	19.0	192
22.0	2.0	18.0	266
22.0	3.0	16.0	385
25.0	2.0	21.0	226
25.0	2.5	20.0	282
25.0	3.0	19.0	338
25.0	4.0	17.0	394
25.0	4.5	16.0	437
25.0	5.0	15.0	478
28.0	1.5	25.0	151
28.0	2.0	24.0	201
28.0	2.5	23.0	252
28.0	3.0	22.0	302
28.0	4.0	20.0	403
28.0	5.0	18.0	434
30.0	2.0	26.0	188
30.0	2.5	25.0	235
30.0	3.0	24.0	282
30.0	4.0	22.0	376
30.0	5.0	20.0	409
35.0	2.0	31.0	161
35.0	2.5	30.0	201
35.0	3.0	29.0	242
35.0	4.0	27.0	322
35.0	5.0	25.0	403
35.0	6.0	23.0	419
38.0	2.5	33.0	186
38.0	3.0	32.0	223
38.0	4.0	30.0	297
38.0	5.0	28.0	371
38.0	6.0	26.0	390
38.0	7.0	24.0	446
42.0	2.0	38.0	134
42.0	3.0	36.0	201
42.0	4.0	34.0	269
50.0	6.0	38.0	338
50.0	9.0	32.0	437